

BULLETIN N° 114

INTERCHANGEABILITY LISTS

AE, AS, AL, ALE → AUV

AT2, ATE2 → ATUV

Danfoss → Suntec

Delta → Suntec

Eckerle → Suntec

SB51 - Suntec AE, AS, AL, ALE / Suntec AUV  2

SB113 - Suntec AT2, ATE2 / Suntec ATUV  7

SB48 - Danfoss / Suntec  9

SB108 - Delta / Suntec  16

SB36 - Eckerle / Suntec  18

BULLETIN N° 51

Interchangeability list Suntec AE, AS, AL, ALE / Suntec AUV

AE	AUV	Remarks
AE 35 C 9850 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 37 C 1376 xP	AUV 47 L 9877 6P 0700	+ Kit 991401 AE : pressure gauge port on the top of the body
AE 45 C 1301 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 45 C 1360 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 45 C 1370 xM	AUV 47 L 9877 6P 0700	+ Kit 991401 + G1/4 - G1/8 Adapters (kit 991557) + G1/8 - R1/8 connections (ref. 3723760)
AE 45 C 1392 xP	AUV 47 L 9877 6P 0700	+ Kit 991401 + G1/4-M14 connections (kit 991557)
AE 45 D 1307 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 45 D 1308 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 47 A 1384 xP	AUV 47 R 9876 6P 0700	+ Kit 991401
AE 47 B 1366 xP	AUV 47 R 9876 6P 0700	+ Kit 991401
AE 47 B 7267 xP	AUV 47 R 9876 6P 0700	AE : 2 pressure ports on the body + Kit 991401 + Hub adaptor Ø32-Ø54 (ref. 3759833)
AE 47 C 1386 xP	AUV 47 L 9877 6P 0700	+ Kit 991401 AE pressure range : 2-12 bars
AE 47 C 1387 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 47 C 1397 xP	AUV 47 L 9877 6P 0700	+ Kit 991401
AE 47 C 7274 xM	AUV 47 L 9877 6P 0700	AE : 2 pressure ports on the body AUV to convert in one-pipe configuration + Kit 991401 + Flange adaptor Ø32-Ø54 (ref. 3719003)
AE 47 C 7368 xP	AUV 47 L 9877 6P 0700	AE : 2 pressure ports on the body + Kit 991401
AE V 47 C 1394 xP	AUV 47 L 9877 6P 0700	+ Kit 991401 AE pressure range : 3-12 bars
AE V 47 C 1398 xM	AUV 47 L 9877 6P 0700	+ Kit 991401 AE pressure range : 2-12 bars
AE 47 D 1378 xM	AUV 47 L 9877 6P 0700	+ Kit 991401 AUV to convert in one-pipe configuration
AE 47 D 1385 xP	AUV 47 L 9877 6P 0700	+ Kit 991401

→ The data given in this table are valid for one-pipe installations (AUV pumps are convertible into a one-pipe configuration).

2/22

SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex

Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11

e-mail: information@suntec.fr - www.suntec.fr



AS	AUV	Remarks
AS 47 A 1536 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 A 1589 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 A 1619 xP 0200	AUV 47 R 9876 6P 0700	Change the coil (24V AC ref. 3713823SAV)
AS 47 A 7432 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)
AS 47 A 7436 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body + Hub adaptor Ø32-Ø54 (ref. 3759833)
AS 47 A 7509 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body Keep the AS pump nozzle connections + G1/4 - G1/8 Adapters (kit 991557)
AS 47 A 7536 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body
AS 47 A 7592 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body
AS 47 AK 1564 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 AK 1602 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 AK 1612 xM 0500/0700	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
AS 47 AK 1613 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 AK 7469 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)
AS 47 AK 7564 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body
AS V 47 A 1636 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS V 47 A 7472 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)
AS V 47 AK 7512 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body
AS 47 B 1537 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 B 1616 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 B 7445 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)
AS 47 B 7470 xP 0500/0700	AUV 47 R 9876 6P 0700	AS : pressure port on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)
AS 47 BK 1551 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS V 47 B 1618 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS V 47 B 1637 xP 0500/0700	AUV 47 R 9876 6P 0700	
AS 47 C 1538 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 1569 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 1578 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 1603 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 1604 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 1620 xP 0100/0600	AUV 47 L 9877 6P 0700	Change the coil (110V AC ref. 3713824SAV)
AS 47 C 1621 xP 0200	AUV 47 L 9877 6P 0700	Change the coil (24V AC ref. 3713823SAV)

→ The data given in this table are valid for one-pipe installations (AUV pumps are convertible into a one-pipe configuration).

3/22

AS	AUV	Remarks
AS 47 C 1625 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 C 7434 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)</i>
AS 47 C 7438 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Hub adaptor Ø32-Ø54 (ref. 3759833)</i>
AS 47 C 7444 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)</i>
AS 47 C 7461 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)</i>
AS 47 C 7538 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body</i>
AS 47 C 7541 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body</i>
AS 47 CK 1554 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 CK 1582 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : horizontal pressure port on the body</i>
AS 47 CK 1623 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 CK 7451 xM 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003) AUV to convert in one-pipe configuration</i>
AS V 47 C 1627 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS V 47 C 1638 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS V 47 CK 1624 xM 0500/0700	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
AS 47 D 1539 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 D 1550 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 D 1557 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 D 1568 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>+ G1/8 - M8 connections (kit 991557) + G1/4 - M14 connections (kit 991557)</i>
AS 47 D 1596 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 D 1615 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 D 7435 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Flange adaptor Ø32-Ø54 (ref. 3719003)</i>
AS 47 D 7439 xP 0500/0700	AUV 47 L 9877 6P 0700	<i>AS : 2 pressure ports on the body + Hub adaptor Ø32-Ø54 (ref. 3759833)</i>
AS 47 DK 1562 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 DK 1573 xM 0500/0700	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
AS 47 DK 1586 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS 47 DK 1597 xP 0500/0700	AUV 47 L 9877 6P 0700	
AS V 47 D 1640 xP 0200	AUV 47 L 9877 6P 0700	<i>Change the coil (24V AC ref. 3713823SAV)</i>
AS V 47 D 1696 xP 0500/0700	AUV 47 L 9877 6P 0700	

→ The data given in this table are valid for one-pipe installations (AUV pumps are convertible into a one-pipe configuration).

AL	AUV	Remarks
AL 30 C 9518 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 inlet connections (kit 991557) + G1/4 - G1/8 return connection (kit 991557) + G1/8 - M8 nozzle connection (kit 991557)
AL 30 C 9535 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/8 - M8 connections (kit 991557)
AL 30 C 9537 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 connections (kit 991557) + G1/8 - M8 connections (kit 991557)
AL 30 CK 9516 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 connections (kit 991557) + G1/8 - M8 connections (kit 991557)
AL V 30 C 9608 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 connections (kit 991557) + G1/8 - M8 connections (kit 991557)
AL V 30 C 9611 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 connections (kit 991557) + G1/8 - M8 connections (kit 991557)
AL V 30 CK 9612 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4-M10 connections (kit 991557) + G1/8 - M8 connections (kit 991557)
AL 35 A 9501 xP 0100/0600	AUV 47 R 9876 6P 0700	Change the coil (110V AC ref. 3713824SAV)
AL 35 A 9526 xP 0500/0700	AUV 47 R 9876 6P 0700	
AL 35 A 9570 xP 0500/0700	AUV 47 R 9876 6P 0700	AL : side pressure port on the body on the nozzle side
AL 35 A 9596 xP 0500/0700	AUV 47 R 9876 6P 0700	AL : pressure port on the body on the nozzle side
AL V 35 A 9626 xP 0500/0700	AUV 47 R 9876 6P 0700	
AL 35 B 9580 xP 0500/0700	AUV 47 R 9876 6P 0700	AL : 2 pressure ports on the body
AL 35 C 9503 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9514 xP 0100/0600	AUV 47 L 9877 6P 0700	Change the coil (110V AC ref. 3713824SAV)
AL 35 C 9519 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9521 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9528 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9533 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9540 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
AL 35 C 9542 2P 25	AUV 47 L 9877 6P 0700	
AL 35 C 9545 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/8 - M8 connections (kit 991557)
AL 35 C 9553 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 C 9578 xP 0500/0700	AUV 47 L 9877 6P 0700	AL : 2 pressure ports on the body
AL 35 CK 9536 xP 0500/0700	AUV 47 L 9877 6P 0700	AL : 2 pressure ports on the body
AL V 35 C 9573 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL V 35 C 9614 xP 0100/0600	AUV 47 L 9877 6P 0700	Change the coil (110V AC ref. 3713824SAV)
AL V 35 C 9619 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL V 35 C 9625 xP 0500/0700	AUV 47 L 9877 6P 0700	Keep the AL pump nozzle connections
AL V 35 C 9628 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL 35 D 9529 xP 0500/0700	AUV 47 L 9877 6P 0700	
AL V 35 D 9622 xP 0500/0700	AUV 47 L 9877 6P 0700	

→ The data given in this table are valid for one-pipe installations (AUV pumps are convertible into a one-pipe configuration).

5/22

ALE	AUV	Remarks
ALE 30 C 9336 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557) + G1/8 - M8 connections (kit 991557)
ALE V 30 C 9300 xP 0500/0700	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557) + G1/8 - M8 connections (kit 991557)
ALE 35 C 9319 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9321 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9324 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9327 xP 0500/0700	AUV 47 L 9877 6P 0700	ALE : 2 pressure ports on the body
ALE 35 C 9329 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9331 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9333 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE 35 C 9334 xP 0500/0700	AUV 47 L 9877 6P 0700	ALE : 2 pressure ports on the body
ALE 35 CK 9328 xP 0500/0700	AUV 47 L 9877 6P 0700	ALE : 2 pressure ports on the body
ALE V 35 C 9317 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE V 35 C 9339 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE V 35C 9356 xP 0500/0700	AUV 47 L 9877 6P 0700	
ALE V 35 D 9337 xP 0500/0700	AUV 47 L 9877 6P 0700	

→ The data given in this table are valid for one-pipe installations (AUV pumps are convertible into a one-pipe configuration).

BULLETIN N° 113

Interchangeability list Suntec AT2, ATE2 / Suntec ATUV

AT2	ATUV	Remarks
AT2 45 A 9547 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 45 A 9574 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 45 AK 9507 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2V 45 A 9647 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 45 B 9506 xP 0500/0700	ATUV 45 R 9861 6P 0700	+ Flange adaptor Ø32-Ø54 (ref. 3719003)
AT2 45 BK 9601 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 45 BK 9601 xP 0600	ATUV 45 R 9861 6P 0700	+ Change the coils (ref. 3713824SAV)
AT2V 45 B 9651 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 45 C 9541 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 45 C 9543 xP 0600	ATUV 45 L 9860 6P 0700	+ Change the coils (ref. 3713824SAV)
AT2 45 C 9543 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 45 C 9563 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Nozzle fitting (kit 991557) + G1/4-G1/8 Inlet and return fittings (kit 991557)
AT2 45 C 9594 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 45 C 9602 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Nozzle fitting (kit 991557) + G1/4-G1/8 Inlet and return fittings (kit 991557)
AT2V 45 C 9604 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 45 C 9616 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 45 D 9513 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Inlet/return and nozzle fittings from the old pump
AT2 45 D 9538 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 45 D 9544 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 45 D 9555 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Inlet/return and nozzle fittings from the old pump
AT2 45 D 9584 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 45 D 9603 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 45 D 9615 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Nozzle fitting (kit 991554) + G1/4-G1/8 Inlet and return fittings (kit 991557)
AT2V 45 D 9633 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 45 D 9638 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 55 B 9406 xP 0500/0700	ATUV 45 R 9861 6P 0700	+ Flange adaptor Ø32-Ø54 (ref. 3719003)
AT2 55 B 9515 xP 0500/0700	ATUV 45 R 9861 6P 0700	
AT2 55 C 9504 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 55 C 9549 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2 55 C 9572 xP 0500	ATUV 45 L 9860 6P 0700	
AT2 55 CK 9571 xP 0500	ATUV 45 L 9860 6P 0700	+ Nozzle fitting (kit 991557)
AT2V 55 C 9672 xP 0500/0700	ATUV 45 L 9860 6P 0700	
AT2V 55 CK 9605 xP 0500/0700	ATUV 45 L 9860 6P 0700	+ Nozzle fitting (kit 991557)

SB113-GB / Ed 2 - 16/07/2019

7/22

SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex

Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11

e-mail: information@suntec.fr - www.suntec.fr



ATE2	ATUV	Remarks
ATE2V 45 C 9305 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2V 45 C 9306 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2V 45 C 9315 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2V 45 C 9355 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2 55 D 9351 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2 55 D 9353 xP 0500/0700	ATUV 45 L 9860 6P 0700	
ATE2V 55 D 9354 xP 0500/0700	ATUV 45 L 9860 6P 0700	

BULLETIN N° 48

Interchangeability list - Danfoss/Suntec

DANFOSS	SUNTEC	Remarks
BFP 10 L6 071N0272	AE 57 C 7373 4P	
BFP 10 L6 071N0276	AE 57 C 7373 4P	<i>AE to convert in one-pipe configuration</i>
BFP 10 L8 071N6111	AE 67 C 7361 4P	
BFP 10 L11 071N6107	AE 77 C 7380 2P	
BFP 10 L13 071N6103	AE 97 C 7390 2P	+ Kit 991492
BFP 10 R3 071N0177	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 10 R3 071N0288	AUV 47 R 9876 6P 0700 + Kit 991401	<i>AUV to convert in one-pipe configuration</i>
BFP 10 R5 071N0166	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 10 R6 071N0273	AN V 57 A 7359 4P	<i>AN: Hydraulic cut-off, 14 bars max.</i>
BFP 10 R6 071N0277	AN V 57 A 7359 4P	<i>AN: Hydraulic cut-off, 14 bars max., to convert in one-pipe configuration</i>
BFP 10 R8 071N6112	AN 67 A 7345 4P	<i>AN: Hydraulic cut-off</i>
BFP 10 R11 071N6108	AN 77 A 7346 2P	<i>AN: Hydraulic cut-off</i>
BFP 10 R13 071N6104	AN 97 A 7391 2P	<i>AN: Hydraulic cut-off</i>
BFP 11 L3 071N0101	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0114	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0141	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
BFP 11 L3 071N0142	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
BFP 11 L3 071N0144	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0146	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0152	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0153	AUV 47 L 9877 6P 0700	<i>AUV: Change the coil (24V ref. 3713823SAV)</i>
BFP 11 L3 071N0184	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0210	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N0213	AUV 47 L 9877 6P 0700	
BFP 11 L3 071N7141	AUV 47 L 9877 6P 0700	
BFP 11 L5 071N0105	AUV 47 L 9877 6P 0700	
BFP 11 L5 071N0178	AUV 47 L 9877 6P 0700	
BFP 11 L6 071N1270	AS 57 C 1583 6P 0700	<i>AS: 14 bars max.</i>
BFP 11 L6 071N1274	AS 57 C 1583 6P 0700	<i>AS: 14 bars max., to convert in one-pipe configuration</i>
BFP 11 L8 071N6109	AL 65 C 9589 6P 0700	<i>AL: 15 bars max.</i>
BFP 11 R3 071N0143	AUV 47 R 9876 6P 0700	
BFP 11 R3 071N0145	AUV 47 R 9876 6P 0700	
BFP 11 R3 071N0155	AUV 47 R 9876 6P 0700	
BFP 11 R3 071N0181	AUV 47 R 9876 6P 0700	

SB48-GB / Ed.9 - 16/07/2019

9/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
 Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
 e-mail: information@suntec.fr - www.suntec.fr

DANFOSS	SUNTEC	Remarks
BFP 11 R3 071N0183	AUV 47 R 9876 6P 0700	
BFP 11 R3 071N7155	AUV 47 R 9876 6P 0700	
BFP 11 R6 071N0271	AS 57 A 7591 4P 0700	
BFP 11 R6 071N0275	AS 57 A 7591 4P 0700	<i>AS to convert in one-pipe configuration</i>
BFP 11 R6 071N1271	AS 57 A 7591 4P 0700	<i>AS: 14 bars max.</i>
BFP 11 R6 071N1275	AS 57 A 7591 4P 0700	<i>AS: 14 bars max., to convert in one-pipe configuration</i>
BFP 11 R8 071N6110	AL 65 B 9532 6P 0700	
BFP 11 R11 071N6106	AL 75 B 9539 6P 0700	<i>AL: 15 bars max. and left nozzle outlet</i>
BFP 12 L6 071N6217	A2L 65 CK 9704 4P 0700	
BFP 12 L8 071N6210	A2L 65 CK 9704 4P 0700	
BFP 12 L11 071N6202	A2L 75 CK 9701 4P 0700	
BFP 12 L13 071N6203	A2L 95 D 9702 4P 0700	
BFP 12 R6 071N6218	A2L 65 A 9708 4P 0700	
BFP 12 R8 071N6219	A2L 65 A 9708 4P 0700	
BFP 12 R11 071N6214	A2L 95 B 9711 4P 0700	
BFP 12 R13 071N6220	A2L 95 B 9711 4P 0700	
BFP 20 L3 071N0108	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L3 071N0125	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L3 071N0127	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L3 071N0161	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L3 071N0212	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L3 071N0267	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 L5 071N0126	AUV 47 L 9877 6P 0700 + Kit 991401	
BFP 20 R3 071N0118	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R3 071N0128	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R3 071N0162	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R3 071N0169	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R3 071N0229	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R3 071N0298	AUV 47 R 9876 6P 0700 + Kit 991401	<i>AUV to convert in one-pipe configuration</i>
BFP 20 R5 071N0129	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 20 R5 071N0180	AUV 47 R 9876 6P 0700 + Kit 991401	
BFP 21 L2 071N2123	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0102	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0103	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0104	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0111	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0113	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0119	AUV 47 L 9877 6P 0700	

DANFOSS	SUNTEC	Remarks
BFP 21 L3 071N0122	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0123	AUV 47 L 9877 6P 0700	<i>AUV: Change the coil (110V ref. 3713824SAV)</i>
BFP 21 L3 071N0130	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0132	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0147	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0148	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0150	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0151	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0156	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
BFP 21 L3 071N0164	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0170	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0175	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0176	AUV 47 L 9877 6P 0700	<i>AUV: Change the coil (110V ref. 3713824SAV)</i>
BFP 21 L3 071N0179	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0182	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0185	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0189	AUV 47 L 9877 6P 0700	<i>AUV: Change the coil (24V ref. 3713823SAV)</i>
BFP 21 L3 071N0193	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0197	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0204	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0209	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0217	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0226	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0228	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N0295	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N1214	AUV 47 L 9877 6P 0700	<i>AUV to convert in one-pipe configuration</i>
BFP 21 L3 071N1217	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N1219	AUV 47 L 9877 6P 0700	
BFP 21 L3 071N7170	AUV 47 L 9877 6P 0700	
BFP 21 L3 L2 071N2130	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2103	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2104	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2108	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2110	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2112	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2113	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N2114	AUV 47 L 9877 6P 0700	

DANFOSS	SUNTEC	Remarks
BFP 21 L3 LE 071N2118	AUV 47L 9877 6P 0700	
BFP 21 L3 LE 071N2119	AUV 47L 9877 6P 0700	
BFP 21 L3 LE 071N3118	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N3119	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE 071N4105	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N0233	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N0264	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N2116	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N2125	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N2128	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N2225	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N2303	AUV 47L 9877 6P 0700	
BFP 21 L3 LE-S 071N3136	AUV 47 L 9877 6P 0700	
BFP 21 L3 LE-S 071N3225	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0107	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0116	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0158	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0172	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0194	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0202	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0227	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N0292	AUV 47 L 9877 6P 0700	
BFP 21 L5 071N7172	AUV 47 L 9877 6P 0700	
BFP 21 L5 LE-S 071N2131	AUV 47L 9877 6P 0700	
BFP 21 R3 071N0109	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0112	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0136	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0154	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0157	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
BFP 21 R3 071N0167	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0171	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0198	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0208	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0214	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0215	AUV 47 R 9876 6P 0700	
BFP 21 R3 071N0231	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
BFP 21 R3 071N1215	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
BFP 21 R3 071N7171	AUV 47 R 9876 6P 0700	

DANFOSS	SUNTEC	Remarks
BFP 21 R5 071N0120	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0159	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0163	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0165	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0173	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0195	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N0207	AUV 47 R 9876 6P 0700	
BFP 21 R5 071N7173	AUV 47 R 9876 6P 0700	
BFP 31 L3 071N0115	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N0133	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
BFP 31 L3 071N0149	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N0190	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N0191	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N0192	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N1201	AUV 47 L 9877 6P 0700	
BFP 31 L3 071N1203	AUV 47 L 9877 6P 0700	
BFP 31 L3 LE 071N2109	AUV 47L 9877 6P 0700	
BFP 41 L3 071N0135	AUV 47 L 9877 6P 0700	
BFP 41 L3 071N0160	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N0174	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N0188	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N0224	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N0225	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N1213	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 071N7174	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 L3 LE-S 071N3137	AUV 47 L 9877 6P 0700	AUV: Coil on top
BFP 41 R3 071N0137/138	AUV 47 R 9876 6P 0700	AUV: Coil on top
BFP 41 R3 071N0196	AUV 47 R 9876 6P 0700	AUV: Coil on top
BFP 41 R3 071N0235	AUV 47 R 9876 6P 0700	AUV: Coil on top
BFP 41 R3 071N7137	AUV 47 R 9876 6P 0700	AUV: Coil on top
BFP 51 L6 071N6204	AP2 65C 9511 4P 0700	
BFP 51 L8 071N6222	AP2 65C 9511 4P 0700	
BFP 51 L11 071N6205	AP2 95C 9590 4P 0700	
BFP 51 L13 071N6225	AP2 95C 9590 4P 0700	
BFP 51 R6 071N6221	AP2 65B 9523 4P 0700	
BFP 51 R8 071N6223	AP2 65B 9523 4P 0700	
BFP 52 L6 071N6206	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52: P1=7-15 bars

DANFOSS	SUNTEC	Remarks
BFP 52 L8 071N6207	AT2 65C 9556 4P 0700	
BFP 52 L11 071N6209	AT2 75C 9583 4P 0700	
BFP 52 L13 071N6211	AT2 95C 9585 4P 0700	
BFP 52 R6 071N6227	ATUV 45 R 9861 6P 0700	ATUV: P1=2-12 bars, nozzle= up to 3 GPH @1,8 cSt & 5 GPH @5 cSt BFP52: P1=7-15 bars
BFP 52 R8 071N6208	AT2 65B 9587 4P 0700	
BFP 52 R11 071N6210	AT2 75B 9591 4P 0700	
BFP 52 R13 071N6212	AT2 95B 9592 4P 0700	
BFP 52E L3 071N2201	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 071N2209	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 071N2211	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 071N2213	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 071N2264	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 071N3201	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 LE-S 071N2222	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 LE-S 071N3213	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 LE-S 071N3214	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 LE-S 071N3215	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L3 LE-S 071N4222	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2202	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2205	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2212	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2217	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2220	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N2265	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E L5 071N3202	ATUV 45 L 9860 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars
BFP 52E R3 071N2203	ATUV 45 R 9861 6P 0700	ATUV: P1=2-12 bars BFP52E: P1=7-15 bars

DANFOSS	SUNTEC	Remarks
BFP 52E R3 071N3203	ATUV 45 R 9861 6P 0700	<i>ATUV: P1=2-12 bars BFP52E: P1=7-15 bars</i>
BFP 52E R5 071N2204	ATUV 45 R 9861 6P 0700	<i>ATUV: P1=2-12 bars BFP52E: P1=7-15 bars</i>
BFP 52E R5 071N3204	ATUV 45 R 9861 6P 0700	<i>ATUV: P1=2-12 bars BFP52E: P1=7-15 bars</i>
BFP 53 L6 071N6213	AT3 55C 9550 4P 0700	
BFP 53 L8 071N6229	AT3 65C 9561 4P 0700	

BULLETIN N° 108

Interchangeability list - Delta/Suntec

DELTA	SUNTEC	Remarks
A1-L1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
A1-L2	AUV 47 L 9877 6P 0700	
A1-R1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
A1-R2	AUV 47 R 9876 6P 0700	
A2-L1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
A2-L2	AUV 47 L 9877 6P 0700	
A2-R1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
A2-R2	AUV 47 R 9876 6P 0700	
AD1-L1	AN 47 C 1342 6P	AN : Left nozzle outlet*, to convert in one-pipe configuration
	AN 47 D 1339 6P	AN : Right nozzle outlet*, to convert in one-pipe configuration
AD1-L2	AN 47 C 1342 6P	AN : Left nozzle outlet*
	AN 47 D 1339 6P	AN : Right nozzle outlet*
AD1-R1	AN 47 A 1326 6P	AN : Right nozzle outlet*, to convert in one-pipe configuration
	AN 47 B 1395 6P	AN : Left nozzle outlet*, to convert in one-pipe configuration
AD1-R2	AN 47 A 1326 6P	AN : Right nozzle outlet*
	AN 47 B 1395 6P	AN : Left nozzle outlet*
AD2-L1	AN 57 C 7349 4P	AN : Left nozzle outlet*, to convert in one-pipe configuration
	AN 57 DK 1303 6P	AN : Right nozzle outlet*, to convert in one-pipe configuration
AD2-L2	AN 57 C 7349 4P	AN : Left nozzle outlet*
	AN 57 DK 1303 6P	AN : Right nozzle outlet*
AD2-R1	ANV 57 A 7359 4P	AN : Right nozzle outlet*, to convert in one-pipe configuration
	AN 57 B 1330 6P	AN : Left nozzle outlet*, to convert in one-pipe configuration
AD2-R2	ANV 57 A 7359 4P	AN : Right nozzle outlet*
	AN 57 B 1330 6P	AN : Left nozzle outlet*
V1LL1	AN 47 D 1339 6P	AUV to convert in one-pipe configuration
V1LL2	AN 47 D 1339 6P	
V1LR1	AN 47 C 1342 6P	AUV to convert in one-pipe configuration
V1LR2	AN 47 C 1342 6P	
V1RL1	AN 47 A 1326 6P	AUV to convert in one-pipe configuration
V1RL2	AN 47 A 1326 6P	
V1RR1	AN 47 B 1395 6P	AUV to convert in one-pipe configuration
V1RR2	AN 47 B 1395 6P	
V2LL1	AN 57 D 1303 6P	AUV to convert in one-pipe configuration
V2LL2	AN 57 D 1303 6P	

*Seen from shaft end.

SB108-GB / Ed.4 - 11/07/2018

16/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
 Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
 e-mail: information@suntec.fr - www.suntec.fr

DELTA	SUNTEC	Remarks
V2LR1	AN 57 C 7349 4P	AUV to convert in one-pipe configuration
V2LR2	AN 57 C 7349 4P	
V2RL1	ANV 57 A 7359 4P	AUV to convert in one-pipe configuration
V2RL2	ANV 57 A 7359 4P	
V2RR1	AN 57 B 1330 6P	AUV to convert in one-pipe configuration
V2RR2	AN 57 B 1330 6P	
VD1LL1	AN 47 D 1339 6P	AUV to convert in one-pipe configuration
VD1LL2	AN 47 D 1339 6P	
VD1LR1	AN 47 C 1342 6P	AUV to convert in one-pipe configuration
VD1LR2	AN 47 C 1342 6P	
VD1RL1	AN 47 A 1326 6P	AUV to convert in one-pipe configuration
VD1RL2	AN 47 A 1326 6P	
VD1RR1	AN 47 B 1395 6P	AUV to convert in one-pipe configuration
VD1RR2	AN 47 B 1395 6P	
VD2LR1	AN 57 C 7349 4P	AUV to convert in one-pipe configuration
VD2LR2	AN 57 C 7349 4P	
VD2LL2	AN 57 D 1303 6P	
VD2RL1	ANV 57 A 7359 4P	AUV to convert in one-pipe configuration
VD2RL2	ANV 57 A 7359 4P	
VD2RR1	AN 57 B 1330 6P	AUV to convert in one-pipe configuration
VD2RR2	AN 57 B 1330 6P	
VM1LL1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
VM1LL2	AUV 47 L 9877 6P 0700	
VM1LR1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
VM1LR2	AUV 47 L 9877 6P 0700	
VM1RL1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
VM1RL2	AUV 47 R 9876 6P 0700	
VM1RR1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
VM1RR2	AUV 47 R 9876 6P 0700	
VM2LL1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
VM2LL2	AUV 47 L 9877 6P 0700	
VM2LR1	AUV 47 L 9877 6P 0700	AUV to convert in one-pipe configuration
VM2LR2	AUV 47 L 9877 6P 0700	
VM2RL1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
VM2RL2	AUV 47 R 9876 6P 0700	
VM2RR1	AUV 47 R 9876 6P 0700	AUV to convert in one-pipe configuration
VM2RR2	AUV 47 R 9876 6P 0700	

*Seen from shaft end.

17/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
 Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
 e-mail: information@suntec.fr - www.suntec.fr

BULLETIN N° 36

Interchangeability list - Eckerle/Suntec

ECKERLE	SUNTEC	Remarks
UNI 1.1 L5 L64 -10	AN 47 C 1342 6P	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 1.1 L5 L64-M1	AN 47 C 1342 6P	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 1.2 L1 L64-50	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 1.2 L5 L14-50	AUV 47 L 9877 6P 0700	
UNI 1.2 L5 M14-50	AUV 47 L 9877 6P 0700	
UNI 1.2 L5 M64-50-W	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 1.2 L62 M14-01-W	AL 65 C 9589 6P 0700	
UNI 1.42 L6 A64-W	ATUV 45 L 9860 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 1.72 L62 L14-W	AL 75 CK 9534 6P 0700	
UNI 2.1 G22 L1 L10	AN 47 C 1342 6P	AN: Shaft with one flat (1), no top pressure gauge port
UNI 2.1 G41-21 L1 L10	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI 2.1 L1 L44-21	AN 47 C 1342 6P	
UNI 2.1 L1 L44-H1-21	AN 47 C 1342 6P	AN: Shaft with one flat (1), no top pressure gauge port
UNI 2.1 L5 L40-21	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI 2.1 L5 L42-21	AN 47 C 7342 4P	AN: Shaft with one flat (1) + Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.1 L5 L44-21-05	AN 47 C 1342 6P	
UNI 2.1 L5 R44-21	AN 47 D 1339 6P	
UNI 2.1 L5 R94-05	AN 47 D 1339 6P	+ G1/4 - G1/8 Adapters (kit 991557) AN: Pressure range 7 - 14 bars
UNI 2.1 L6 L54-05	AN 67 C 1336 6P	AN: Pressure range 7 - 14 bars
UNI 2.1 R1 L40	AN 47 B 7327 4P	AN: Shaft with one flat (1)
UNI 2.1 R1 L44-21	AN 47 B 7327 4P	
UNI 2.1 R5 L42-UI-21	AN 47 B 7327 4P	AN: Shaft with one flat (1) + Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.1 R5 L43-UI-21	AN 47 B 7327 4P	AN: Shaft with one flat (1) + Flange adaptor Ø32-Ø54 (Ref. 3719003)
UNI 2.1 R5 L44-21	AN 47 B 7327 4P	
UNI 2.1 R5 L54	AN 47 B 1395 6P	
UNI 2.1 R5 R44-21-05	AN 47 A 1326 6P	
UNI 2.1 R5 R45-21	AN 47 A 7226 4P	
UNI 2.1 R5 R80-05	AN 47 A 1326 6P	AN: Shaft with one flat (1), + G1/4 - G1/8 Adapters (kit 991557)
UNI 2.1 R6 L25	AN 67 B 7287 4P	
UNI 2.1 R6 L54-05	AN 67 B 1335 6P	
UNI 2.12 L1 L14	AUV 47 L 9877 6P 0700	

(1) ECKERLE model with 2 flats on the shaft; change coupling.

SB36-GB / Ed.9 - 16/07/2019

18/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
e-mail: information@suntec.fr - www.suntec.fr

ECKERLE	SUNTEC	Remarks
UNI 2.12 L1 L64	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.12 L1 M14	AUV 47 L 9877 6P 0700	
UNI 2.12 L1 M64	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.12 L1 M64-65	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.12 L6 M14	AL 65 C 9589 6P 0700	
UNI 2.12 L6 M14-65	AL 65 C 9589 6P 0700	
UNI 2.17 L6 M14-65	AL 75 CK 9534 6P 0700	
UNI 2.2 L1 L14-21	AUV 47 L 9877 6P 0700	
UNI 2.2 L1 L16-K1-21	AUV 47 L 9877 6P 0700	+ Flange adaptor Ø32-Ø54 (Ref. 3719003)
UNI 2.2 L1 R14-C1-21	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 L14-21-05	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 L14-Q-21	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 L15-21-05	AUV 47 L 9877 6P 0700	+ Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.2 L5 L42	AUV 47 L 9877 6P 0700	+ Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.2 L5 M14-C1	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 S20-21	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 S20-21-BUD	AUV 47 L 9877 6P 0700	
UNI 2.2 L5 S74-05	AUV 47 L 9877 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.2 L6 L16-K1	AS 67 C 7456 4P 0700	AS: pressure range 10 - 15 bars
UNI 2.2 L6 L24-05	AS 67 C 1570 6P 0700	AS: pressure range 10 - 15 bars
UNI 2.2 R1 L40	AUV 47 R 9876 6P 0700	
UNI 2.2 R1 M14-21-05	AUV 47 R 9876 6P 0700	
UNI 2.2 R1 R24	AUV 47 R 9876 6P 0700	
UNI 2.2 R5 L14-21-05	AUV 47 R 9876 6P 0700	
UNI 2.2 R5 M45	AUV 47 R 9876 6P 0700	+ Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.2 R5 R14-21	AUV 47 R 9876 6P 0700	
UNI 2.2 R5 R60-21	AUV 47 R 9876 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.2 R5 S60	AUV 47 R 9876 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.2 R6 M24-05	AS 67 B 1575 6P 0700	AS: pressure range 10 - 15 bars
UNI 2.3 L1 L56-I	D 45 C 7389 3PF	
UNI 2.3 L5 L54-S-05	D 45 C 7374 3P	
UNI 2.3 L5 L56-I	D 45 C 7389 3PF	
UNI 2.3 R5 L54-05	D 45 B 7347 3P	
UNI 2.3 R5 R54-L	D 47 A 7383 3P	
UNI 2.4 L1 M10-V2	AP 47 C 7556 4P 0700	AP: Shaft with one flat (1)
UNI 2.4 L1 M14-C1	AP 47 C 7556 4P 0700	
UNI 2.4 L1 R14-C1-21	AP2 45 D 9566 4P 0700	
UNI 2.4 L1 R44	AP2 45 D 9566 4P 0700	

(1) ECKERLE model with 2 flats on the shaft; change coupling.

SB36-GB / Ed.9 - 16/07/2019

19/22



ECKERLE	SUNTEC	Remarks
UNI 2.4 L5 L24	AP 47 C 7556 4P 0700	
UNI 2.4 L5 M24	AP 47 C 7556 4P 0700	
UNI 2.4 L5 M20-21	AP2 45 C 9569 4P 0700	
UNI 2.4 L5 S24	ATUV 45 L 9860 6P 0700	
UNI 2.4 L6 L24-05	AP 67 C 7559 4P 0700	
UNI 2.4 L6 M24-C1	AP 67 C 7559 4P 0700	
UNI 2.4 L7 L24-05	AP2 95 C 9590 4P 0700	
UNI 2.4 L7 L56	AP2 95 C 9590 4P 0700	+ Flange adaptor Ø32-Ø54 (Ref. 3719003)
UNI 2.4 L7 M25	AP2 95 C 9590 4P 0700	+ Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI 2.4 R5 S70-ET	AP 47 A 1593 4P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.4 R6 S24-ET	AP 67 A 1594 6P 0700	
UNI 2.42 L5 L64-65	ATUV 45 L 9860 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.42 R5 R70	ATUV 45 R 9861 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.42 R5 R70-ET	ATUV 45 R 9861 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI 2.6 L6 L44	AN 67 C 1336 6P	AN to convert in one-pipe operation
UNI 2.91 L7 L44-05	AE 97 C 7390 2P	
UNI 2.96 L5 L44-05	AN 47 C 1342 6P	+ Low pressure kit 991500
UNI-E 2.1 G22	AN 47 C 1342 6P	AN: Shaft with one flat (1), no top pressure gauge port
UNI-E 2.1 G41	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI-E2.1 G41-13	AUV 47 L 9877 6P 0700	+ Kit 991401
UNI-E 2.1 L1 L10	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI-E 2.1 L1 L10-22	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI-E 2.1 L1 L10-30	AN 47 C 1342 6P	AN: Shaft with one flat (1), no top pressure gauge port
UNI-E 2.1 L1 L14	AN 47 C 1342 6P	
UNI-E 2.1 L1 L64	AN 47 C 1342 6P	+ G1/4 - G1/8 Adapters (kit 991557)
UNI-E 2.1 L1 L64-21	AN 47 C 1342 6P	+ G1/4 - G1/8 Adapters (kit 991557)
UNI-E 2.1 L5 L10	AN 47 C 1342 6P	AN: Shaft with one flat (1)
UNI-E 2.1 L5 L12	AN 47 C 7342 4P	AN: Shaft with one flat (1) + Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI-E 2.1 L5 L14	AN 47 C 1342 6P	
UNI-E 2.1 L5 L14-13	AUV 47 L 9877 6P 0700	+ Kit 991401
UNI-E 2.1 L5 R14	AN 47 D 1339 6P	
UNI-E 2.1 L5 R14-13	AUV 47 L 9877 6P 0700	+ Kit 991401
UNI-E 2.1 L5 R74	AN 47 D 1339 6P	+ G1/4 - G1/8 Adapters (kit 991557) AN: Pressure range 7 - 14 bars
UNI-E 2.1 L6 L16-11	AE 67 C 7285 4P	
UNI-E 2.1 L6 L24	AN 67 C 1336 6P	AN: Pressure range 7 - 14 bars
UNI-E 2.1 R1 L10	AN 47 B 7327 4P	AN: Shaft with one flat (1)

(1) ECKERLE model with 2 flats on the shaft; change coupling.

SB36-GB / Ed.9 - 16/07/2019

20/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
e-mail: information@suntec.fr - www.suntec.fr

ECKERLE	SUNTEC	Remarks
UNI-E 2.1 R1 L14	AN 47 B 7327 4P	
UNI-E 2.1 R5 L12-80	AN 47 B 7327 4P	<i>AN: Shaft with one flat (1) + Hub adaptor Ø32-Ø54 (Ref. 3759833)</i>
UNI-E 2.1 R5 L13-80	AN 47 B 7327 4P	<i>AN: Shaft with one flat (1) + Flange adaptor Ø32-Ø54 (Ref. 3719003)</i>
UNI-E 2.1 R5 L14	AN 47 B 7327 4P	
UNI-E 2.1 R5 L24	AN 47 B 1395 6P	
UNI-E 2.1 R5 R14	AN 47 A 1326 6P	
UNI-E 2.1 R5 R15	AN 47 A 7226 4P	
UNI-E 2.1 R5 R60	AN 47 A 1326 6P	<i>AN: Shaft with one flat (1) + G1/4 - G1/8 Adapters (kit 991557)</i>
UNI-E 2.1 R6 L24	AN 67 B 1335 6P	
UNI-E 2.1 R6 L25	AN 67 B 7287 4P	
UNI-E 2.2 L1 L10	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L1 L14	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L1 L16-10	AUV 47 L 9877 6P 0700	<i>+ Flange adaptor Ø32-Ø54 (Ref. 3719003)</i>
UNI-E 2.2 L1 R14-12	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 L12	AUV 47 L 9877 6P 0700	<i>+ Hub adaptor Ø32-Ø54 (Ref. 3759833)</i>
UNI-E 2.2 L5 L14	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 L14-92	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 L15	AUV 47 L 9877 6P 0700	<i>+ Hub adaptor Ø32-Ø54 (Ref. 3759833)</i>
UNI-E 2.2 L5 L60	AUV 47 L 9877 6P 0700	<i>+ G1/4 - G1/8 Adapters (kit 991557)</i>
UNI-E 2.2 L5 M14-12	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 S20	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 S20-BUD	AUV 47 L 9877 6P 0700	
UNI-E 2.2 L5 S74	AUV 47 L 9877 6P 0700	<i>+ G1/4 - G1/8 Adapters (kit 991557)</i>
UNI-E 2.2 L6 L14	AS 67 C 1570 6P 0700	<i>AS: Pressure range 10 - 15 bars</i>
UNI-E 2.2 L6 L16-10	AS 67 C 7456 4P 0700	<i>AS: pressure range 10 - 15 bars</i>
UNI-E 2.2 L6 L24	AS 67 C 1570 6P 0700	<i>AS: pressure range 10 - 15 bars</i>
UNI-E 2.2 L6 LR14-61	A2L 65 D 9703 4P 0700	
UNI-E 2.2 L7 L26	AL 95 C 9412 4P 0700	
UNI-E 2.2 L7 LR14-61	A2L 95 D 9702 4P 0700	
UNI-E 2.2 R1 L10	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R1 M14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R1 R24	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R1 S14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R5 L14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R5 M14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R5 M15	AUV 47 R 9876 6P 0700	<i>+ Hub adaptor Ø32-Ø54 (Ref. 3759833)</i>

(1) ECKERLE model with 2 flats on the shaft; change coupling.

SB36-GB / Ed.9 - 16/07/2019

21/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
e-mail: information@suntec.fr - www.suntec.fr

ECKERLE	SUNTEC	Remarks
UNI-E 2.2 R5 R14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R5 R60	AUV 47 R 9876 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI-E 2.2 R5 S14	AUV 47 R 9876 6P 0700	
UNI-E 2.2 R5 S60	AUV 47 R 9876 6P 0700	+ G1/4 - G1/8 Adapters (kit 991557)
UNI-E 2.2 R6 M24	AS 67 B 1575 6P 0700	AS: pressure range 10 - 15 bars
UNI-E 2.3 L1 L26-80	D 45 C 7389 3PF	
UNI-E 2.3 L5 L24-13	D 45 C 7374 3P	
UNI-E 2.3 L5 L26-80	D 45 C 7389 3PF	
UNI-E 2.3 L5 L64	D 45 C 7374 3P	+ G1/4 - G1/8 Adapters (kit 991557)
UNI-E 2.3 R5 L24	D 45 B 7347 3P	
UNI-E 2.3 R5 R24-93	D 47 A 7383 3P	
UNI-E 2.4 L1 M10-22	AP 47 C 7556 4P 0700	AP: Shaft with one flat (1)
UNI-E 2.4 L1 M14-12	AP 47 C 7556 4P 0700	
UNI-E 2.4 L1 R14	AP2 45 D 9566 4P 0700	
UNI-E 2.4 L1 R14-12	AP2 45 D 9566 4P 0700	
UNI-E 2.4 L5 L20	AP2 45 C 9569 4P 0700	
UNI-E 2.4 L5 L24	AP 47 C 7556 4P 0700	
UNI-E 2.4 L5 M20	AP2 45 C 9569 4P 0700	
UNI-E 2.4 L5 M24	AP 47 C 7556 4P 0700	
UNI-E 2.4 L5 S24	ATUV 45 L 9860 6P 0700	
UNI-E 2.4 L6 L24	AP 67 C 7559 4P 0700	
UNI-E 2.4 L6 M24-12	AP 67 C 7559 4P 0700	
UNI-E 2.4 L7 L22	AP2 95 C 9590 4P 0700	AP2: Shaft with one flat (1) + Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI-E 2.4 L7 L24	AP2 95 C 9590 4P 0700	
UNI-E 2.4 L7 L26	AP2 95 C 9590 4P 0700	+ Flange adaptor Ø32-Ø54 (Ref. 3719003)
UNI-E 2.4 L7 L26-05	AP2 95 C 9590 4P 0700	+ Flange adaptor Ø32-Ø54 (Ref. 3719003)
UNI-E 2.4 L7 M25	AP2 95 C 9590 4P 0700	+ Hub adaptor Ø32-Ø54 (Ref. 3759833)
UNI-E 2.4 R5 S70	AP 47 A 1593 4P 0700	
UNI-E 2.4 R6 S24	AP 67 A 1594 6P 0700	
UNI-E 2.42 R5 R70	ATUV 45 R 9861 6P 0700	
UNI-E 2.6 L5 L14	AN 47 C 1342 6P	AN to convert in one-pipe operation
UNI-E 2.6 L6 L14	AN 67 C 1336 6P	AN to convert in one-pipe operation
UNI-E 2.91 L5 L14	AN 47 C 1342 6P	+ Low pressure kit 991500
UNI-E 2.91 L7 L14	AE 97 C 7390 2P	
UNI-E 2.96 L5 L14	AN 47 C 1342 6P	+ Low pressure kit 991500

(1) ECKERLE model with 2 flats on the shaft; change coupling.

SB36-GB / Ed.9 - 16/07/2019

22/22



SUNTEC INDUSTRIES FRANCE

1, rue Lavoisier - CS 60102 - F-21603 LONGVIC Cedex
 Tel.: +33 (0)3 80 70 60 70 - Fax: +33 (0)3 80 70 61 11
 e-mail: information@suntec.fr - www.suntec.fr